

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Recognizer Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

APPLICATION NO.	FI	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/656,777 09/07/2000		09/07/2000	Junji Kuyama	09793822-0409	1570
26263	7590	10/21/2002			
		NATH & ROSEN	EXAMINER		
P.O. BOX 06 WACKER D	RIVE ST.		WILLS, MONIQUE M		
CHICAGO,	L 60606	-1080	ART UNIT	PAPER NUMBER	
				1745 DATE MAILED: 10/21/2002	6

Please find below and/or attached an Office communication concerning this application or proceeding.

					م کس			
		Applicati n N		Applicant(s)				
•		09/656,777		KUYAMA ET AL				
	Office Action Summary	Examiner		Art Unit				
_		Wills M Moniqu		1745				
Period fo	The MAILING DATE of this communication ap or Reply	pears on the cov	er sheet with the c	orrespondence addi	ress			
A SH THE - Exte after - If th - If NO - Failt - Any	MORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. ensions of time may be available under the provisions of 37 CFR 1. r SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a rep O period for reply is specified above, the maximum statutory period ure to reply within the set or extended period for reply will, by statut reply received by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, how by within the statutory mand will expin the cause the application	wever, may a reply be tin inimum of thirty (30) day e SIX (6) MONTHS from to become ABANDONE	nely filed s will be considered timely. the mailing date of this com D (35 U.S.C. § 133).	munication.			
1)⊠	Responsive to communication(s) filed on 08	July 2002 .						
2a) <u></u> ☐	This action is FINAL . 2b)⊠ TI	his action is non-	final.					
3)□ Disposit	Since this application is in condition for allow closed in accordance with the practice under tion of Claims				merits is			
4)⊠	Claim(s) 10-22 is/are pending in the application	ion.						
	4a) Of the above claim(s) is/are withdra	awn from conside	eration.					
5)□	5) Claim(s) is/are allowed.							
6)⊠	Claim(s) <u>10-22</u> is/are rejected.							
7)	Claim(s) is/are objected to.							
• —	Claim(s) are subject to restriction and/o	or election requir	ement.					
· · · _	ion Papers							
•	The specification is objected to by the Examine							
10)[The drawing(s) filed on is/are: a) acce							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.								
40\□	If approved, corrected drawings are required in re		iction.					
,	The oath or declaration is objected to by the E	xaminer.						
•	under 35 U.S.C. §§ 119 and 120							
•	Acknowledgment is made of a claim for foreig	n priority under 3	35 U.S.C. § 119(a	ı)-(d) or (t).				
a)	□ All b) Some * c) None of:							
	1. Certified copies of the priority documen							
	2. Certified copies of the priority documen							
* ;	3. Copies of the certified copies of the price application from the International Besee the attached detailed Office action for a lis	ureau (PCT Rule	: 17.2(a)).		tage			
14) 🔲 .	Acknowledgment is made of a claim for domes	tic priority under	35 U.S.C. § 119(e) (to a provisional a	application).			
	a) \square The translation of the foreign language pr Acknowledgment is made of a claim for domes							
Attachme	nt(s)							
2) D Noti	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s)	4) [5) [6) [Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-				

U.S. Patent and Trademark Office PTO-326 (Rev. 04-01)

Art Unit: 1745

DETAILED ACTION

Response to Amendment

This Office Action is responsive to the amendment filed July 8, 2002. The objection of claims 1-9 is overcome. The 35 U.S.C. 112, second paragraph rejections of claims 2-3 are overcome. The rejection of claims 1,2,4,-6 & 8-9 under 35 U.S.C. 102(b) as being anticipated by Miyasaka U.S. Patent 5,869,208 is overcome. The rejection of claim 7 under 35 U.S.C. 103(a) as being unpatentable over Miyasaka U.S. Patent 5,869,208 as applied to claim 4 above, and further in view of Nakajima et al. U.S. Patent 6,337,158 is overcome. The rejection of claim 3 under 35 U.S.C. 102(a) as being anticipated by Sugeno et al. U.S. Patent 6,083,646 is overcome. Claims 1-9 have been cancelled per applicants request. Claims 10-12 & 17-22 are rejected under 35 U.S.C. 103 (a) as being obvious Miyasaka U.S. Patent 5,869,208 in view of Tanno U.S. Patent 5,853,918. Claims 10-12 & 17-22 are also rejected under 35 U.S.C. 103(a) as being unpatentable over Miyasaka U.S. Patent 5,869,208 and further in view Sugeno et al. U.S. Patent 6,083,646. Claims 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sugeno et al. U.S. Patent 6,083,646 and further in view of Kubo et al. U.S. Patent 5,773,168.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 1745

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims10-12 & 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyasaka U.S. Patent 5,869,208 and further in view of Tanno U.S. Patent 5,853,918.

Miyasaka teaches In a lithium ion secondary battery having a positive electrode, negative electrode, a non-aqueous electrolyte, and a container, the positive electrode is made of a positive electrode active material having a spinel structure and the formula:

wherein M is cation of a metal other than Li and Mn; x, a and b are 0.1
0.1
x≤1.2, 0≤a<2.0 (preferably 0<a<2.0), 1≤c≤3, and 0≤b<0.3, during its charge-discharge cycle (see abstract). The positive electrode active material (or its precursor) and the negative electrode active material (or its precursor) preferably are in the form of particles having a mean diameter of 0.03 to 50 μ, more preferably 0.1 to 20μ. See column 8, lines 20-25. The positive electrode active material or its precursor preferably has a specific surface area of 1 to 10 m²/g. See column 8, lines 25-31. The specific surface area is measured using the BET method (col. 11, lines 10-15). The electrolyte solution comprises a non-protonic organic solvent and a lithium salt (namely, electrolyte) soluble in the solvent. Examples of the organic solvents include propylene carbonate, ethylene carbonate, butylene carbonate, dimethyl carbonate, diethyl carbonate, gamma-butylolactone, 1,2-dimethoxyethane, tetrahydrofuran, 2-</p>

Art Unit: 1745

methyltetrahydrofuran, dimethyl sulfoxide, 1,3-dioxolane, formamide, dimethyl formamide, dioxolane, acetonitrile, nitromethane, methyl formate, methyl acetate, phosphoric triester, trimethoxymethane, dioxolane derivatives, sulforane, 3-methyl-2-oxazolidinone, propylene carbonate derivatives, tetrahydrofuran derivatives, diethyl ether, and 1,3-propane sultone. These solvents can be employed singly or in combination. Examples of the lithium salts include LiClO₄, LiBF₆, LiPF₆, LiCF₃ SO₃, LiCF₃ CO₂, LiASF₆, LiSbF₆, LiB₁₀Cl₁₀, lithium salts of lower aliphatic carboxylic acids, LiAlCl₄ LiCl, LiBr, Lil, chloroborane lithium, and lithium tetraphenylborate. These lithium salts can be employed singly or in combination. See column 9, lines 1-30. The reference also teaches that polyfluorinated vinylidene can be employed in the positive electrode in the amount of 2 to 30% (col. 8, lines 30-45). Graphite ma by employed in the cathodic material in the range of 2 to 15% *col.8, lines 15-20).

The reference is silent to a carbonaceous anode selected from the group consisting of pyrocarbon, coke, glassy carbon, organic polymer compound sintered body and carbon fiber.

However, Tanno teaches that carbonaceous materials and graphite are equivalent to metallic lithium and lithium alloy materials for negative electrodes in secondary lithium cells (col. 1, lines 25-30). The reference also teaches that employing carbonaceous materials such as coke reduces capacity loss in the initial stage of charge and discharge cycles (col.1, lines 50-55 and col.3, lines 20-25).

Art Unit: 1745

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to employ the carbonaceous materials of Tanno in place of the lithium anode of Miyasaka because, in order to reduce capacity loss in the initial stage of charge and discharge cycles of the cell.

Page 5

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 10-12 & 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miyasaka U.S. Patent 5,869,208, and further in view Sugeno et al. U.S. Patent 6,083,646.

Miyasaka teaches a lithium secondary battery described above, further comprising a lithium anodic material.

The reference is silent to a carbonaceous anode of the group provided said claim.

However, Sugeno teaches that coke and organic baked substances are equivalent to metallic lithium and lithium alloy materials for negative electrodes in secondary lithium cells (col. 2, lines 59-65).

Therefore, it would have been obvious to one of ordinary skill in the art, at the time the invention was made to employ the carbonaceous materials of Sugeno in place of the lithium anode of Miyasaka because, the secondary reference teaches that they are equivalent in similar electrochemical environments.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sugeno et al. U.S. Patent 6,083,646 and further in view of Kubo et al. U.S. Patent 5,773,168.

Sugeno teaches a method of making a lithium manganese oxide (col. 5, lines 25-50). More particularly, in the first processing step, the mixture of the manganese source and the lithium source is crushed and mixed. Then, the mixture in a powder state, which may have been subjected to compression molding, is further subjected to a thermal treatment in an air atmosphere under a temperature of 450° C. or below. Subsequently, in the second processing step, the thermally-treated material, i.e., a sintered body is cooled down to a room temperature and again crushed and mixed. The mixture in a powder state, which may have been subjected to compression

Art Unit: 1745

molding, is further subjected to a thermal treatment in an air atmosphere under a temperature of 650 to 780° C. The cathode material comprising lithium-manganese oxide, graphite and polyvinylidene fluoride in a 90:7:3 ratio is coated on an aluminum current collector (col. 15, lines 30-35)

The reference is silent to a cathode thickness of 20 microns, pulverizing the active material or creating a slurry by dissolving the active material graphite and binder in a solvent. The reference does not expressly disclose employ the lithium composite manganese oxide in about 86%.

However, Kubo teaches that it is conventional to pulverize sintered lithium oxide material (col. 26, lines 20-25). The reference also teaches mixing lithium oxide, a conductor agent and binder and a suitable solvent to obtain a slurry in order to coat the active material on a current collector (col. 4, lines 55-60).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to dissolve the active material in a solvent to obtain a slurry to facilitate coating said active material on a current collector.

Regarding employing lithium oxide in about 86%, the reference teaches employing 90% of said active material in the cathode. However, it would have been obvious to one having ordinary skill in the art at the time of the invention to employ lithium oxide in about 86%, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. In re Boesch, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). The skilled artisan recognizes that the amount of active material directly effects the conductivity of the electrode. Therefore, the skill

Art Unit: 1745

artisan would be motivated to employ the optimum amount of active material to directly control the conductivity of the electrode.

Regarding pulverization, the skilled artisan would have been motivated to pulverize the active material to make smaller particles. The skilled artisan recognizes that reducing particle size increases the area of reactivity, thus increasing utilization of the electrode.

As to creating a cathode having a thickness of 20 microns, it would have been an obvious matter of design choice to change the thickness to 20 microns, since such a modification would have involved a mere change in size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art. In re Rose, 105 USPQ 237 (CCPA 1955).

Conclusions

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Monique Wills whose telephone number is (703) 305-0073. The Examiner can normally be reached on Monday-Friday from 8:30am to 5:00 pm.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0661.

Art Unit: 1745

If attempts to reach Examiner by telephone are unsuccessful, the Examiner's supervisor, Patrick Ryan, may be reached at 703-308-2383.

The unofficial fax number is (703) 305-3599. The Official fax number for non-final amendments is 703-872-9310. The Official fax number for after final amendments is 703-872-9311.

Mw

10/17/02

Patrick Ryan
Supervisory Patent Examiner
Technology Center 1700